



Certificate of Analysis
Compliance Test

Client Information:

Elevate Batch # 6 Test Reg State: Florida
20189 breeze bloom dr Batch Date: 2024-07-10 Extracted From: N/A
Riverside, California 92507
Order # ELE240711-150001 Sampling Date: 2024-07-12 Initial Gross Weight: 15.757 g
Order Date: 2024-07-11 Lab Batch Date: 2024-07-12
Sample # AAFT441 Completion Date: 2024-07-16



Product Image

Potency Tested

Potency 10

Specimen Weight: 206.750 mg

Tested

SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	(%)
THCA-A	15.000	3.20E-5	0.0015	196.8600	19.6860
Delta-9 THC	15.000	1.30E-5	0.0015	7.3100	0.7310
CBGA	15.000	8.00E-5	0.0015	4.9900	0.4990
CBG	15.000	2.48E-4	0.0015	0.7300	0.0730
CBDA	15.000	1.00E-5	0.0015	0.6100	0.0610
CBC	15.000	1.80E-5	0.0015	<LOQ	<LOQ
CBD	15.000	5.40E-5	0.0015	<LOQ	<LOQ
CBDV	15.000	6.50E-5	0.0015	<LOQ	<LOQ
CBN	15.000	1.40E-5	0.0015	<LOQ	<LOQ
THCV	15.000	7.00E-6	0.0015	<LOQ	<LOQ
Total Active CBD	15.000			0.535	0.053
Total Active THC	15.000			179.956	17.996

Potency Summary

Total Active THC 17.996%	Total Active CBD 0.053%
Total CBG 0.511%	Total CBN None Detected
Total Cannabinoids 21.050%	

Sample was oven dried before potency testing.

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THC + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Sample not received via laboratory sampling. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Sample not received via laboratory sampling.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.